

=> d his

(FILE 'HOME' ENTERED AT 15:00:24 ON 04 AUG 2004)

FILE 'CA' ENTERED AT 15:00:29 ON 04 AUG 2004

L1 166940 S CEMENT?
L2 434 S L1 AND POLYCARBOXYLATE?
L3 11 S L2 AND (FIBER? OR FIBRE?)

=>

L3 ANSWER 2 OF 11 CA COPYRIGHT 2004 ACS on STN
 AN 136:204211 CA
 ED Entered STN: 21 Mar 2002
 TI Low **fiber** content, high strength concrete compositions for prefabricated tiles and panels
 IN Moersch, Joerg; Casabonne Masonnave, Jean-Michel
 PA Lafarge S.A., Fr.; Lafarge Braas Technical Centers Ltd.
 SO PCT Int. Appl., 24 pp.
 CODEN: PIXXD2
 DT Patent
 LA French
 IC ICM C04B020-00
 ICS C04B007-52
 CC 58-2 (Cement, Concrete, and Related Building Materials)
 Section cross-reference(s): 38, 57

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002016281	A1	20020228	WO 2001-FR2643	20010821
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	FR 2813074	A1	20020222	FR 2000-10770	20000821
	AU 2001084150	A5	20020304	AU 2001-84150	20010821
PRAI	FR 2000-10770	A	20000821		
	WO 2001-FR2643	W	20010821		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2002016281	ICM	C04B020-00
	ICS	C04B007-52

AB Low-**fiber** content concrete compns. are obtained by mixing water with a hydraulic binder compn. comprising (a) a **cement**, (b) ultrafine elements with pozzolanic reaction, (c) granular elements, (d) **cement** additives, (e) an amt. of water E added to the mixt. and (f) a dispersing agent. The constituents (a), (b), (c), and (d), in vol.%, satisfy the following relationships: $0.50 \leq \frac{(a)+(b)+(d)}{c} \leq 1.10$; $0.40 \leq \frac{(b)+(d)}{(a)} \leq 0.80$; $0.10 \leq \frac{(b)}{(a)} \leq 0.30$ and a water/**cement** wt. ≤ 0.30 . The **cement** additives may include a superplasticizer (such as a **polycarboxylate** or a polyoxyethylene phosphonate) and a set-accelerator (such as calcium chloride). The concrete prep. show high bending and compressive strength despite the low **fiber**-content and can be used to produce prefabricated roofing tiles or panels.

ST **cement** pozzolan aggregate additive **fiber** reinforcement dispersant concrete tile

IT Sand

RL: PEP (Physical, engineering or chemical process); PYP (P